



To: Robert-A OBrien/R9/USEPA/US@EPA,
Cc:
Bcc:
Subject: RE: Sewer Confirmation for Hanalei Inn - I doubt this is connected to sewer, but need to know for sure.
From: Chester Alfiler <calfiler@kauai.gov> - Wednesday 03/30/2011 07:15 PM

No County sewer in Hanalei...

From: OBrien.Robert-A@epamail.epa.gov [mailto:OBrien.Robert-A@epamail.epa.gov]
Sent: Wednesday, March 30, 2011 2:49 PM
To: Chester Alfiler
Subject: Sewer Confirmation for Hanalei Inn - I doubt this is connected to sewer, but need to know for sure.

Hi Chester:

RE: Facility Name: Hanalei Inn
Address: 5-5468 Kuhio Hwy
City, State, ZIP: Hanalei, HI
County: Hawaii
Local Identifier: TMK 4-5-5-004-036

I doubt the above referenced facility is connected to sewer, but need to know for sure.
Could you please confirm whether it's connected to sewer or not?
Many thanks again for your help!

Bob

Robert A. O'Brien
Ground Water Office (WTR-9)
U.S. EPA, Region 9
75 Hawthorne St, San Francisco, CA 94105
tel: (415) 972-3527 / fax: (415) 947-3549
